

CAPITAL

ACCESSORIES

LEADING SUPPLIER OF LUXURY FIREPLACES

Recent changes in legislation have been made in an attempt to reduce the emissions of all solid fuel burning appliances. As such solid fuel Baskets/Kits, Combination Fireplaces and Cast Iron Inserts should not be used as local space heaters in order to reach and maintain a certain level of human thermal comfort. Whilst the actual heat output of these products has not changed from previous years they should now be viewed as for decorative use only.

Due to the nature of the materials and appliances used within this brochure, actual finishes and colours may vary slightly. Flames shown within the fires may also vary depending on gas type, fuel quality and the performance of the flue or chimney. For information on aftercare and maintenance, please visit our website at www.capitalfireplaces.co.uk

Capital Fireplaces Ltd reserve the right to change specification or de-list products at any time. Please note images shown in this brochure are for illustration purposes only.

CAPITAL
— ACCESSORIES —

A	
ADHESIVE - ROPE GLUE	27
ALL NIGHT BURNER	32
ASHPANS	32
ATMOSFIRE STOVE WIPER	29
B	
BACKS - CAST IRON	31
BALLOONS	27
BARS	33
BASKETS FOR LOGS	36
BEAMS	4-11
BRICK CHAMBERS	12-15
BRICK SETS	31
BUCKETS	38-39
C	
CAST IRON BACKS	31
CERAMICS FOR GAS	43
CHAMBERS	12-15
CHIMNEY BALLOON	27
CHIMNEY COWLS	26
CHIMNEY POTS	26
CLAY BACKS & LINTELS	34
CLOSURE PLATE	31
COALS FOR GAS	43
CO MONOXIDE DETECTOR	28
COMPANION SETS	40-41
D	
DAMPERS	31
DATA PLATES	25
DRIFTWOOD - GAS	43
E	
ELECTRIC PD FIRES	43
EMBAGLOW	43
F	
FARMHOUSE HEARTHS	16-17
FERMACELL BOARD	15
FIREBOARD CHAMBERS	15
FIRE CEMENT SEALER	27
FIREGUARDS	42
FIXING KITS	25
FIXING REGISTER PLATE KITS	25
FLUE PIPE	24
FLUE COLLAR	25
FLUE LINER	23
FLUE SEAL	27
FRETS	44
G	
GAS HOT BOX	43
GAS TRIMS	44
GEOCAST BEAMS	4-11
GLASS CLEANER	29
GLASS HEARTHS	18-19
GLASS WIPER	29
GLOVES	40
GRATES	30
GRATE AND STOVE POLISH	29
GRANITE HEARTHS, FLATS, SLIPS AND BACK PANELS	20-21
H	
HEARTHS - GLASS	18-19
HIGH TEMPERATURE PAINT	29
HOT BOX	43
L	
LINTELS	34
LOG BASKETS	36
LOG BUCKETS	38-39
LOG MOISTURE METER	28
LOGS - GAS	43
LOG STORES	37
M	
MICAFIL VERMICULITE	25
MOISTURE METER	28
P	
PAINT - HIGH TEMPERATURE	29
PEBBLES - GAS	43
PELLETS	28
PD2 ELECTRIC FIRE	43
R	
REGISTER PLATE KITS	25
REPLACEMENTS	30-35
ROPE ADHESIVE	27
ROPE KIT	27
RYTON VENTS	28
S	
SCREENS	42
SEALANTS	27
SILICON FIREPROOF SEALANT	27
SKAMOLEX	15
SLATE CHAMBERS	13
SMOKE PELLETS	28
SOLID FUEL KIT	35
STONE SEALER	29
STORES - LOGS	37
STOVE AND GRATE POLISH	29
STOVE CHAMBERS	12-15
STOVE ENAMEL PIPE	24
STOVE FIXING KIT	25
STOVE GLOVES	40
STOVE THERMOMETER	28
T	
THERMOMETER	28
TOP HAT ADAPTOR	25
TRIMS - GAS	44
TRIMS - SOLID FUEL	35
V	
VENTS	28
VERMICULITE	25
VITREOUS ENAMEL PIPE	24

Geocast Classic Beam

Available in sizes 42”, 48” & 54”

Our non-combustible oak effect classic beams have been developed from a natural and extremely durable material and are molded to achieve ultimate high definition creating a truly authentic look. Being non-combustible, our Geocast beams allow smaller clearance distances than natural wood.*

Ambient lighting can also be supplied (as seen on page 6) on our 48” and 54” classic beams as an optional extra, that not only creates a warmer impression in your home, but also gives more focus to the fire. The lighting kit can be operated separately to the stove, meaning you’re able to maintain a cosy ambience with or without the stove being lit.

Our new decorative beam brackets are a great addition to enhance the visual effect of the Geocast Classic beams. Please see pages 7 and 16 for images.

The Geocast Classic beams are available in the following sizes and finishes;

42” - Light Oak, Dark Oak
48” - Light Oak, Dark Oak, Antique Oak
54” - Light Oak, Dark Oak, Antique Oak

Please note all of our beams are hand finished therefore may vary slightly. *See our website for clearances.

48” Antique Oak with Ambient Lights

54" Dark Oak (shown with large Decorative Beam Brackets)

Dark Oak

Geocast Rustic Beam Natural & Dark Oak

Available in 48" & 54"

Our non-combustible oak effect beams have been developed from a natural and extremely durable material and are molded to achieve ultimate high definition creating a truly authentic look.

Being non-combustible, our Geocast beams allow smaller clearance distances than natural wood.*

Beautifully rustic yet sophisticated with a natural and dark oak finish, the Geocast Rustic Beam embraces a rural, country charm look and feel, perfect for the traditional home. Available in sizes 48" and 54".

*Please see our website for clearances.

Geocast Classic Beam Available in sizes 42” (1070mm), 48” (1220mm) & 54” (1370mm)

140 mm (H) x 105 mm (D)

LIGHT OAK

DARK OAK

ANTIQUE OAK

AMBIENT LIGHTING
SUITABLE WITH THE 48” & 54” CLASSIC BEAMS



DECORATIVE BEAM BRACKETS (LARGE)
SUITABLE WITH THE CLASSIC BEAMS

DECORATIVE BEAM BRACKETS (SMALL)
SUITABLE WITH THE CLASSIC BEAMS

CLASSIC LIGHT OAK

Geocast Rustic Beam Available in 48” (1220mm) & 54” (1370mm)

130 mm (H) x 100 mm (D)

DARK OAK

NATURAL OAK

SLATE & STONE CHAMBERS

RIVEN SLATE

RUSTY SLATE

CORINTHIAN STONE
(MADE TO MEASURE NOT AVAILABLE)

Made to Measure Chambers Available on Request

Slate Chamber Dimensions (mm): 1x (1015 w x 1000 h x 20-30 thick) 2x (450 w x 1000 h x 20-30 thick)
Minimum clearance distances apply, visit our website for instructions. Please note colours may vary.

BRICK CHAMBERS

POMPEII

RUSTIC HERRINGBONE



COBBLED RED



RED

RAINBOW



RUSTIC

RETURNS

RETURNS & ARCH

Brick Chamber Dimensions (mm):
1x (1015 w x 1000 h x 30 thick)
2x (450 w x 1000 h x 30 thick)
Arched Chamber (mm):
1x (1015 x 1000) 2x (450 x 850)
Arch 1115 x 215
Brick Side Returns: 95-100mm,
Arch Height Opening: Max 810mm
Minimum clearance distances apply,
visit our website for instructions.
Please note colours may vary.

SKAMOLEX & FERMACELL

HIGH TEMP SPRAY PAINTED
REEDED FIREBOARD

PLAIN

REEDED & PLAIN SKAMOLEX FIREBOARD CHAMBER

OUR SKAMOLEX FIREBOARD CHAMBERS CAN BE SPRAY PAINTED BLACK USING OUR HIGH TEMPERATURE PAINT TO ACHIEVE THE DESIRED LOOK PICTURED ABOVE WITH THE REEDED PORTRAIT FIREBOARD, SILSOE AEGEAN LIMESTONE SURROUND AND VEGA EDGE 200SL ECO STOVE.

FERMACELL BOARD 1200MM (W) X 1000MM (H) X 12.5 (D)

WATER RESISTANT CEMENT PARTICLE BUILDING BOARD. HEAT RESISTANT TO PROLONGED SURFACE TEMPERATURES OF UP TO 200°C. IDEAL FOR STOVE CHAMBERS ALTHOUGH SHOULD NOT BE USED IN AN ENVIRONMENT WHERE DIRECT CONTACT WITH A NAKED FLAME IS POSSIBLE OR HEAT LIMITS EXCEEDED.

PRODUCT	THICKNESS	SIZE	DENSITY
PLAIN PANELS	20MM	1000 X 610MM	600KG/CU.M
PLAIN PANELS	25MM	1000 X 610MM	600KG/CU.M
REEDED LANDSCAPE PANELS	20MM	1000 X 610MM	700KG/CU.M
REEDED PORTRAIT PANELS	20MM	1000 X 610MM	700KG/CU.M
CAST IRON REEDED PANELS	7MM	4 X (915X380)	N/A

NEW
RUSTIC
FARMHOUSE
HEARTHS

FARMHOUSE STONE HEARTHS

New for this season we welcome our Farmhouse Limestone Hearths.

Inspired by country style decor and living, this natural stone is warm and cozy in appearance but strong and robust in character.
Honed with tumbled chiselled edges, it is blue grey in colour and looks rustic and antique in appearance.
With a variety of different size options for front and back hearths to suit most fireplace requirements, it's a fantastic alternative to traditional granite or slate.

INDIVIDUAL PIECES



HEARTHS



SINGLE PIECE HEARTHS (FRONT OR BACK)



All Farmhouse products are sold as individual components. Your retailer will be able to advise what best suits your requirements.

COMPONENTS
SIZE 1 (815 X 380 X 20)
SIZE 2 (910 X 380 X 20)
SIZE 3 (295 X 370 X 20)
SIZE 4 (370 X 370 X 20)
SIZE 5 (450 X 370 X 20)
SIZE 6 (910 X 610 X 20)

HEARTH COMPONENTS
42 X 15 *(1X SIZE 5 + 2X SIZE 3)*
48 X 15 *(1X SIZE 5 + 2X SIZE 4)*
51 X 15 *(1X SIZE 4 + 2X SIZE 5)*
54 X 15 *(3X SIZE 5)*

Dimensions +/- 3mm

GLASS HEARTHS



SQUARE
900mm x 900mm



SEMI CIRCLE
1100mm x 850mm



TRUNCATED
1100mm x 950mm



TEAR DROP
1100mm x 1100mm



CIRCULAR
1100mm



¼ CIRCLE
1200mm

LIGHT DUTY STOVE GLASS HEARTHS

Our high quality, light duty 12mm thick tempered glass hearths are a contemporary alternative to complement our stove range, available in six shapes with an option of Smoked or Transparent finishes.

GRANITE & SLATE

GRANITE BOXED AND LIPPED HEARTHS

	OVERALL NOMINAL HEIGHT (mm)	POLISHED OR HONED
36" x 15"	50	✓
48" x 15"	50	✓
51" x 15"	50	✓
54" x 15"	50	✓
54" x 18"	50	(POLISHED ONLY)
56" x 15"	50	✓
59" x 15"	50	✓
60" x 18"	50	(POLISHED ONLY)

GRANITE BACK PANEL AND HEARTH SETS POLISHED OR HONED

	PACKAGE
48" OR 54" X 15" BOXED AND LIPPED HEARTH WITH 37"X37" B/P WITH STANDARD CUT OUT	✓

GRANITE FLAT HEARTHS

	OVERALL NOMINAL HEIGHT (mm)	POLISHED OR HONED
PUSH-UNDER BACK HEARTH (30" x 6")	20	✓
STANDARD BACK HEARTH (32" x 15")	20	✓
LARGE BACK HEARTH (38" x 15")	20	✓
36" x 18" NEW	20	✓
36" x 24" FOR FREESTANDING STOVES (FINISHED ALL FOUR SIDES)	20	✓
48" x 15" NEW	20	(HONED ONLY)
48" x 18"	20	✓
54" x 15" NEW	20	(HONED ONLY)
54" x 18"	20	✓
60" x 20"	20	✓

GRANITE SLIPS STANDARD SIZES

	POLISHED OR HONED
SIZE ONE (BASKET) OPENING 635 x 635 (1 x (940 x 305) 2 x (152 x 635))	✓
SIZE TWO (INSET) OPENING 420 x 570 (1 x (940 x 370) & 2 x (260 x 570))	✓
SIZE THREE (STOVE) OPENING 661 X 840 (1 X (965 X 180) & 2 X (152 X 839))	✓

BACK PANELS

	OVERALL NOMINAL THICKNESS (mm)	POLISHED OR HONED	SLATE HONED*
37" x 37" WITH STANDARD CUT OUT	20	✓	✓
37" x 37" WITH NO CUT OUT	20	✓	✓
40" x 40" WITH STANDARD CUT OUT	20	(POLISHED ONLY)	✓
40" x 40" WITH NO CUT OUT	20	(POLISHED ONLY)	✓

SLABBED HEARTHS FOR SOLID FUEL

	OVERALL NOMINAL HEIGHT (mm)	POLISHED OR HONED
36" x 18"	50	(POLISHED ONLY)
48" x 15"	50	✓
48" x 18"	50	✓
54" x 15"	50	✓
54" x 18"	50	✓
56" x 18"	50	(POLISHED ONLY)
60" x 18"	50	(POLISHED ONLY)

* Non stock items, ten working day lead time.

Other sized Slabbed Hearths are available, prices on request. Push unders are also available, prices on request.

SLATE BOXED & LIPPED HEARTHS	OVERALL NOMINAL HEIGHT (mm)	HONED
36” x 15”	50	✓
48” x 15”	50	✓
54” x 15”	50	✓
59" x 15"	50	✓

DESIGN LINE SLIPS TO FIT A CAPITAL FIREPLACE
POLISHED OR HONED GRANITE
AEGEAN LIMESTONE & CORINTHIAN STONE
MICROMARBLE SUITE
PORTUGUESE LIMESTONE (EXTENDED DELIVERY MAY APPLY)

AEGEAN LIMESTONE (STOCK)	OVERALL NOMINAL HEIGHT (mm)	SIZE
STANDARD BACK HEARTH	20	813 X 380 X 20 (32 X 15)
LARGE BACK HEARTH	20	964 X 380 X 20 (38 X 15)
HEARTH 48" X 15" BOXED AND LIPPED	50	
HEARTH 54” X 15” BOXED AND LIPPED	50	
HEARTH 59” X 15” BOXED AND LIPPED	50	
SLIP SET STANDARD SIZE TWO		OPENING 420 X 575 (1 X (945 X 365) & 2 X (260 X 575))
REBATE SPACER STRIPS (STOCK)		
AEGEAN LIMESTONE		3 PART (1 X (965 X 50 X 20) 2 X (915 X 50 X 20)
CARRARA MARBLE		3 PART (1 X (965 X 50 X 20) 2 X (915 X 50 X 20)
LIBERTY WHITE		3 PART (1 X (965 X 50 X 20) 2 X (915 X 50 X 20)
FLATS (STOCK)		
PORTUGUESE LIMESTONE, AEGEAN LIMESTONE & CORINTHIAN STONE		48 X 20 X 20
		60 X 20 X 20

BESPOKE CUTTING & FABRICATING SERVICE AVAILABLE ON REQUEST, PLEASE CONTACT YOUR LOCAL CAPITAL STOCKIST FOR PRICES.

GRANITE HONED & SLABBED

GRANITE POLISHED

SLATE

FLUE

AVAILABLE IN STAINLESS STEEL AND BLACK

New improved,
Scratch
Resistant
Twin Wall System

ENHANCED
SCRATCH RESISTANCE

TEXTURED
MATT BLACK FINISH

INSULATED
FLUE SYSTEM

DESCRIPTION	
Lengths	
1000mm Length	
500mm Length	
250mm Length	
150mm Length	
Adjustable Length 400mm - 560mm	
Adjustable Length 560mm - 920mm	
Bends	
15 Degree Bend	
30 Degree Bend	
45 Degree Bend	
Adaptors	
Adaptor to Single Wall	
Flex to Twin Wall Adaptor	
Twin Wall to Flex Adaptor	
Increasing Single to Twin Wall Adaptor	
Cowls	
All Weather Cowl	
All Weather Cowl - Gas	
Rain cap	
Flashing 25 - 45 Degree	
Storm Collar	

DESCRIPTION	
Fire Stops / Trim Rings	
Fire Stop Spacer	
Split Fire Stop Spacer 31 - 45 D	
Vented Fire Stop Spacer	
45 Deg Trim Collar - Oval	
90 Deg Trim Collar 90mm W	
Supports	
Adjustable Base Support 60mm - 5	
Roof Support	
Base Support Bracket	
Ceiling Support	
Vented Ceiling Support	
Roof Stabilizer Bracket -1mtr to	
Tees	
45 Degree Tee	
90 Degree Tee	
Tee Cap	
Wall Bands	
Wall Band Adjustable 50mm-75mm	
Wall Band Adjustable 50mm-150mm	
Wall Band Adjustable 150mm-250mm	
Wall Band Adjustable 250mm-350mm	
Adjustable Wall Sleeve 45 Deg -	
Guy Wire Bracket	

UP TO 35 YEAR WARRANTY

Our liners have been tested by BSRIA and are HETAS approved. Smooth inner skin provides resistance to corrosive attack due to easydrain down of condensate, less opportunity for soot collection and smooth surface for ease of sweeping. The Flue Liner is constructed from a single strip of steel which is bent at 180 degrees and then the seam is folded in four planes to give a quattrolock seal.

TWINFLEX offers the most flexible liner on the market enabling trouble free installation into the most challenging of chimneys.

PLEASE CONSULT WITH YOUR LOCAL CAPITAL RETAILER ABOUT OUR FLUE LINER, OUR RETAILERS ARE ABLE TO GIVE YOU ADVICE ON ALL ASPECTS OF YOUR FIREPLACE REQUIREMENTS.



VITREOUS ENAMEL PIPE

1 METRE LENGTH
(STOVE FLUE PIPE - 5" OR 6")

1 METRE LENGTH WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")

0.5 METRE LENGTH
(STOVE FLUE PIPE - 5" OR 6")

0.5 METRE LENGTH WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")

0.25 METRE LENGTH
(STOVE FLUE PIPE - 5" OR 6")

90° BEND
(STOVE FLUE PIPE - 5" OR 6")

90° BEND WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")

45° BEND
(STOVE FLUE PIPE - 5" OR 6")

45° BEND WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")

T PIECE
(STOVE FLUE PIPE - 5" OR 6")

T PIECE PLUG
(STOVE FLUE PIPE - 5" OR 6")

0.25 METRE LENGTH WITH DAMPER
(STOVE FLUE PIPE - 5" OR 6")

M TO M FITTING
(STOVE FLUE PIPE - 5" OR 6")

PIPE BRACKET
(STOVE FLUE PIPE - 5" OR 6")

INCREASING ADAPTOR
(VITREOUS TO FLEXI - 5" OR 6")

FLUE ADAPTOR
(5" VITREOUS TO FLEXI)
(6" VITREOUS TO FLEXI)

SCREW INCREASING ADAPTOR
(VITREOUS TO FLEXI - 5" OR 6")

SCREW FLUE ADAPTOR
(5" VITREOUS TO FLEXI)
(6" VITREOUS TO FLEXI)

TOP HAT ADAPTOR NEW

DATA PLATE

Document J Data Plates must be completed and permanently displayed in the room where stove products have been installed

STOVE FIXING KIT

Register plate (any standard size), brackets, collar, 1 metre of stove pipe (5" or 6" no door) & CO dectector

MICAFIL VERMICULITE - 100 LITRE

FIXING REGISTER PLATE KITS

Register Plate with two access hatches available in the following sizes; 1220mm x 405mm, 1075 x 380mm and 810mm x 380mm



REGISTER PLATE COLLAR

Available in 5" and 6"

CHIMNEY POTS & COWLS

CANNON HEAD POT
(ROLL TOP POT)

AVAILABLE IN 300, 450 & 600MM HEIGHTS. 200MM INTERNAL TOP DIAMETER

CANNON HEAD POT (BUFF)
(ROLL TOP POT)

300MM HEIGHT, 200MM INTERNAL TOP DIAMETER

FLUE VENTILATOR
(PEPPER POT)

190MM SPIGOT

GAS FLUE TERMINAL
(190MM SPIGOT)

ONLY FOR USE WITH GAS FIRES REQUIRING AN OUTLET OF UP TO 125MM DIAMETER

JACKDAW DETERRENT

FITS BOTH ROUND & SQUARE POTS UP TO 250MM

ANTI-DOWN DRAUGHT
(ALL PURPOSE CHIMNEY COWL)

COLT 2 STATIC
(ANTI DOWN DRAUGHT COWL)

SUITABLE FOR GAS & SOLID FUEL FIRES, FITS 125 - 250MM POTS

RAIN TOP COWL

SUITABLE FOR SOLID FUEL FIRES ONLY FITS 150 - 200MM POTS

COLT HIGH TOP COWL
(BIRD & ANIMAL)

SUITABLE FOR SOLID FUEL FIRES ONLY FITS 125 - 250MM POTS

POT HANGER SOLID FUEL
(SOLID FUEL CHIMNEY LINER COWL)

CHIMNEY BALLOON

Chimney balloon and inflatation tube, available in Small (15” x 19”), Medium (24” x 12”) and Large (36” x 15”)

ROPE KIT

5 metres high temperature rope seal and 30ml rope adhesive available in 6mm, 8mm, 9mm, 10mm and 12mm

ROPE ADHESIVE - 50ML

FIRE CEMENT - 300ML

1400˚C black, ideal for patching and repairs of firebricks and brickwork

FLUE SEAL - 300ML

1000˚C black sealant for jointing and adhesive on fires, stoves and chimney sections

SILICON FIREPROOF SEALANT - 310ML

1200˚C clear silicon sealant, ideal for the fixing of glass hearths

STOVE ACCESSORIES

AC3LP AIR VENT

(31.68cm² Equivalent Area) Retro-fitted Terracotta combustion air vent

AC10LP AIR VENT

(104cm² Equivalent Area) Retro-fitted Terracotta combustion air vent

RYTON FLOOR VENTS

Ryton floor vent in Brass and Stainless Steel
Free area: 110cm² per set

CO DETECTOR

Fire Angel 7 year life carbon monoxide alarm



STOVE THERMOMETER

SMOKE PELLETS

Pack of 100

LOG MOISTURE METER

STOVE GLASS AVAILABLE IN VARIOUS SIZES

GLASS CLEANER 320ML

STOVE GLASS CLEANER

BLACK HIGH-TEMP PAINT

SOLD IN A PACK OF 6

CHARCOAL HIGH-TEMP PAINT

FOR CONTEMPORARY STEEL STOVES

GRAPHITE HIGH-TEMP PAINT

FOR CAST IRON TRADITIONAL STOVES

STONE SEALER 1 LITRE

FOR NATURAL STONE

STOVE & GRATE POLISH

BLACK - 75G TUBE

ATMOSFIRE STOVE

GLASS DRY WIPE PAD

REPLACEMENTS

G2 GRATE
FOR USE WITH AP14 ASHPAN
12½ "(W), FOR 14" BACK

G3 GRATE
FOR USE WITH AP9 ASHPAN
14½ "(W),FOR 16" BACK

G4 GRATE
FOR USE WITH AP9 ASHPAN
16"(W), FOR 18" BACK

G5 GRATE*
FOR USE WITH AP9 ASHPAN
15"(W), FOR 16" BACK

G7 GRATE
FOR USE WITH AP9 ASHPAN
15"(W), FOR 16" BACK

G12 GRATE*
15"(W), FOR 16" BACK

G14 GRATE
FOR USE WITH AP14 ASHPAN
12½ "(W), FOR 14" BACK

G15 GRATE*
FOR USE WITH AP9 ASHPAN
15"(W), FOR 16" BACK

G16 GRATE*
FOR USE WITH AP9 ASHPAN
17"(W), FOR 18" BACK

G38 GRATE
FOR USE WITH AP38 ASHPAN
17"(W), FOR 16" BACK

*COAL SAVER INCLUDED

BRICK SET
FOR GALLERY & CAPITAL STOVES

CB2
CAST IRON BACK

CB4
CAST IRON BACK

CB8
CAST IRON BACK

CB38
CAST IRON BACK

D2 DAMPER
FITS 16" BACK FOR GAS & SOLID FUEL

D17 GAS DAMPER
FITS GALLERY TRADITION

D19 & D39 DAMPER
FITS 14" BACK FOR GAS & SOLID FUEL

D38 DAMPER
FITS 16" BACK FOR GAS & SOLID FUEL

D4 SQUAREBACK DAMPER
FITS 14" FOR GAS & SOLID FUEL

CLOSURE PLATE
FITS 16" CLAY OR CAST BACK

ALL NIGHT BURNER - BLACK

16" WITH BRASS AND CHROME FINIALS

AP2 ASHPAN

FOR 16" ARCH 16½ "(W) X 7"(D)

AP4 ASHPAN

FOR 14" COMBINATION 13"(W) X 6"(D)

AP9 ASHPAN

TAPERED FOR 16" BACK - 11"(W) X 8½ "(D)

(FOR USE WITH G3, G4, G5, G6, G7, G15, G16)

AP11 ASHPAN

TAPERED - 12½ "(W) X 7½ "(D)

AP14 ASHPAN

SMALL SQUARE - 8"(W) X 7"(D)

(FOR USE WITH G2, G14)

AP18 ASHPAN

TAPERED FOR 18" BACK - 14½ "(W) X 8½ "(D)

A2 ASHPAN COVER

18½ "(W) X 5½ "(H)



DIMENSIONS

A Maximum Width

B Width between centre of uprights

C Height

B1 FREE STANDING BAR

A:18" B:16½ " C:11½ "

B3 FREE STANDING BAR

A:21" B:17½ " C:10½ "

B5F FREE STANDING BAR

A:19½ " B:16½ " C:10½ "

B9F FREE STANDING BAR

A:22" B:17½ " C:12"

B12 HOOK ON BAR

A:21" B:19½ " C:13"

B13 BOLT ON BAR

A:15½ " B:14" C:5"

B15 FREE STANDING BAR

A:16" B:14½ " C:10½ "

B23 FREE STANDING BAR

A:14" B:13" C:10"

B24 FREE STANDING BAR

A:18½ " B:15½ " C:10"

B26 FREE STANDING BAR

A:20½ " B:18" C:11"

B29 HOOK ON BAR

A:17½ ” B:16½ ” C:10”

B30 HOOK ON BAR

A18” B:17” C:10”

B40 HOOK ON BAR

A:20” B:17” C:12”

B48 HOOK ON BAR

A16” B:14½ ” C:10”

CLAY BRICK LINTEL

FOR 16” OR 18”

CLAY BRICK 16”

CLAY BRICK 18”

SOLID FUEL KIT

BEACON BLACK 16”

SOLID FUEL TRIM - BRUSHED, BLACK & POLISHED

16” x 22” x 2”

LOG BASKETS & STORES

MEDWAY
390 (H) 560 (L) 440 (W)

DERWENT
370 (H) 550 (L) 440 (W)

AVON
300 (H) 470 (L) 470 (W)

VENETO MAXI
BROWN LEATHER EFFECT 470 (H) x 500 (W)

VENETO MINI
BROWN LEATHER EFFECT 350 (H) x 450 (W)

LIDO SMALL - BLACK

600 (H) x 300 (W)

LIDO LARGE - BLACK

1250 (H) x 300 (W)

FIRESIDE BUCKETS

WATERLOO - BLACK 300 (H)

SALISBURY - BLACK 220 (H)

ASH BUCKET
CREAM 340 (H)

ASH BUCKET
GREY 340 (H)

KINDLING BUCKET
CREAM 340 (H)

KINDLING BUCKET
GREY 340 (H)

KINDLING BUCKET (SMALL)
CREAM 280 (H)

KINDLING BUCKET (SMALL)
GREY 280 (H)

COMPANION SETS

STOVE GLOVES

BARLETTA BLACK OR SATIN STEEL

230 (L) x 100 (W)

ELIPSE BLACK 540 (H)

ELIPSE PEWTER 540 (H)

MANOR BLACK 558 (H)

MANOR BLACK/PEWTER
540 (H)

ORION LOOP - BLACK
600 (H)

ORION LOOP - PEWTER
600 (H)

TEE SET BLACK 540 (H)

TEMPLE BLACK 584 (H)

TRIO BLACK 450 (H)

FIREGUARDS

4 FOLD SCREEN - BLACK
610 (H) x 960 (W)

BOW - BLACK
750 (H) x 640 (W)

COTSWOLD - BLACK SPARK GUARD
710 (H) x 620 (W)

PREMIUM DOME - BLACK LARGE
710 (H) x 610 (W)

CLASSIC RECTANGULAR - BLACK
610 (H) x 540 (W)

PREMIUM RECTANGULAR - BLACK
710 (H) x 610 (W)

GAS & ELECTRIC ACCESSORIES

GAS COALS (BOX OF 50)

SMALL, MEDIUM & LARGE

GAS DRIFTWOOD

BOX OF 16

GAS LOGS

SMALL 6" (BOX OF 8) MEDIUM 8" (BOX OF 8)
LARGE 12" (BOX OF 4)

GAS FIREWOOD

BOX OF 16

GAS HIGH DEFINITION LOGS

FIREBASKETS & SUNKEN BURNER
(18 PIECES)

GAS EMBAGLOW

FLICKERING EMBERS

GAS PEBBLES

MIXED SIZES (BOX OF 30)

GAS HOT BOX

16" MAGNETIC HOT BOX RIBBED

ELECTRIC PD2 FIRE

ANTIQUE BRASS TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC

BLACK TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC

BRUSHED STEEL TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC

POLISHED TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC

ANTIQUE BRASS FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC



BLACK FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC

CHROME FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC

POLISHED FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC

BLENHEIM FRET
16" ANTIQUE WITH URN FINIALS
FRET FOR GAS & ELECTRIC



BLENHEIM FRET
22" BLACK/POLISHED FRET FOR GAS & ELECTRIC

BLACK BALTIMORE FRET
16" FRET FOR GAS & ELECTRIC

POLISHED BALTIMORE FRET
16" FRET FOR GAS & ELECTRIC

FIND YOUR LOCAL RETAILER

All of our products shown in this brochure are available to purchase from your local Capital retailer, they are able to give you advice on all aspects of your fireplace requirements. Simply visit our website to locate your nearest retailer at **www.capitalfireplaces.co.uk**



CAPITAL

— ACCESSORIES —

www.capitalfireplaces.co.uk